

S.C. VETOREX SRL

Str. Răsăritului, nr. 64 C, Buftea, Jud. Ilfov, cod postal 070000

J40/3792/2002 RO 14623122

TEL: 0742380436

www.vetorex.ro

E-mail: office@vetorex.ro, vetorex@yahoo.com

DECLARATIE DE CONFORMITATE

Nr 128 /10.10.2023

Catre Client: ROMVAC

Aviz de insotire/Factura: 2955

Buletine de analiza: 129/23, BG-KFYCP-GD-22003, CH-CKKFY-HQ-22002

Noi, VETOREX SRL, CIF RO 14623122, Registrul Comertului J40/3792/2002, garantam pe propria raspundere ca produsele (furajele) la care se refera aceasta declaratie nu pun in pericol viata sau sanatatea animalelor de ferma si a porumbelor, nu produc un impact negativ asupra mediului si sunt in conformitate cu specificatiile tehnice, cu legislatia sanitara, sanitar-veterinara si pentru calitatea si siguranta hranei pentru animalele de ferma.

[illegible]

Semnatura Inspector CTC,



Cod: PO-07-Ed3-R0-F1



AETHER CENTRE (BEIJING) BIOLOGY CO., LTD

CERTIFICATE OF ANALYSIS



Report No.: BG-KFYCP-GD-22003

Batch No.: 2210121

Trade Name: CG-Herbs Oral Solution

Manufacture Date: October 12, 2022

Expiry Date: October 11, 2024

Analysis Items: All

Analysis Date: October 12, 2022

Packing: 100ml/bottle

Item	Acceptance criteria	Results	Conclusion
Description	Should be brown-yellow liquid	Brown-yellow liquid	Conforms
Identification	The retention time of principle peak of the substance being examined in the chromatogram obtained in the Assay should be identical with that of ammonium glycyrrhizate CRS in the chromatogram of the reference solution.	The retention time of principle peak of the substance being examined in the chromatogram obtained in the Assay is identical with that of ammonium glycyrrhizate CRS in the chromatogram of the reference solution.	Conforms
Detection			
Relative Density	Should not be less than 1.01	1.03	Conforms
Microbial limit	Bacteria number ≤ 100 cfu/ml; Mould number ≤ 100 cfu /ml; Yeast number ≤ 100 cfu /ml; No E-coli is found.	Within the limit	Conforms
Filled Volume	Average volume should not be less than the labeled volume, and filled volume of each container should not be less than 97% of labeled volume.	Within the limit	Conforms
Assay	The content of Liquorice Root calculated as glycyrrhizic acid ($C_{42}H_{62}O_{16}$) should be no less than 2.0mg/ml;	3.0mg/ml	Conforms
Conclusion	Conforms to the standard		

Analysis By: 张磊

Approved By: 张磊

Date: October 28, 2022

Ref: Invoice no. centre-rom202202

STATEMENT OF CONFORMITY

Product Name: CG-Herbs Oral solution 100ml/bottle

Batch: 2210121

MFG Date: Oct.12, 2022

EXP Date: Oct.11, 2024

TO WHOM IT MAY CONCERN

We, Aether Centre (Beijing) Biology Co., LTD hereby certify that above product has been supplied in accordance with our standard specifications and a copy of certificate of quality has been issued to this effect.

We further certify that the above products are guaranteed for a period of 2 years under normal storage conditions.

We also certify that products containing the compound of the above product are registered in China.



Aether Centre (Beijing) Biology Co., Ltd



扫描全能王 创建

Date: October 28, 2022

CERTIFICATE OF QUALITY

The undersigned Aether Centre (Beijing) Biology Co., Ltd (a corporation with principal offices at No.44, Yongda Road, Daxing Bio-Medicine Industrial Base, Zhongguancun Science Park, Daxing District, Beijing, P. R. China) hereby certifies that: CG-Herbs Oral solution 100ml/bottle (Batch No:2210121) made by us are of good quality, not adulterated or misbranded.



Guarantor: Aether Centre (Beijing) Biology Co., Ltd

Signature

Yan yong

(Quality Manager)



扫描全能王 创建