

S.C. VETOREX SRL
Str. Răsăritului, nr. 64 C, Buftea, Jud. Ilfov, cod postal 070000
J40/3792/2002 RO 14623122
TEL: 0742380436
www.vetorex.ro
E-mail: office@vetorex.ro, vetorex@yahoo.com

DECLARATIE DE CONFORMITATE

Nr 40 /18.03.2025

Catre Client: ROMVAC

Aviz de insotire/Factura fiscala: 3192
Buletine de analiza: CH-CKKFY-HQ-24001

Noi, VETOREX SRL, CIF RO 14623122, Registrul Comertului J40/3792/2002, garantam pe propria raspundere ca produsele (furajele) la care se refera aceasta declaratie nu pun in pericol viata sau sanatatea animalelor de ferma si a porumbeilor, nu produc un impact negativ asupra mediului si sunt in conformitate cu specificatiile tehnice, cu legislatia sanitara, sanitar-veterinara si pentru calitatea si siguranta hranei pentru animalele de ferma.


Denumire produs	Cantitate /um	Nr. Lot/ Nr. Lot intern	Data productiei	Data expirarii	Conditii de pastrare
King Herbs 100 ml	10 buc	2410091	09.10.2024	08.10.2026	Temp. camerei In loc intunecos

Semnatura Inspector CTC



Cod: PO-07-Ed4-R3-F1

AETHER CENTRE BIOLOGY CO., LTD.



CERTIFICATE OF ANALYSIS

Report No: CH-CKKFY-HQ-24001

Batch No.: 2410091

Trade Name: KING-HERBS Oral Solution

Manufacture Date: October 09, 2024

Expiry Date: October 08, 2026

Analysis Items: All

Analysis Date: October 09, 2024

Packing: 100ml/bottle

Item	Acceptance criteria	Results	Conclusion
Description	Should Be yellow to red-brown liquid	Red-brown liquid	Conforms
Identification	(1) Should Be Positive Reaction	Positive	Conforms
	(2) Should Be Positive Reaction	Positive	Conforms
	(3) Sample article solution and control article solution should show same color fluorescence spotting at the same location.	Sample article solution and control article solution show same color fluorescence spotting at the same location.	Conforms
Detection			
pH	Should be 5.0~7.0	6.2	Conforms
Relative Density	Should be no less than 1.01	1.02	Conforms
Microbial limit	Bacteria number ≤ 100 cfu/ml; mould number ≤ 100 cfu /ml; yeast number ≤ 100 cfu /ml; No e-coli is found.	With in the limit.	Conforms
Filled Volume	Average volume should be no less than the labeled volume, and filled volume of each container should be not less than 97% of labeled volume.	Conforms to the Regulation	Conforms
Assay	The content of Astragalali Amylose should be not less than 30mg/ml	38mg/ml	Conforms
Conclusion	Conforms to the Standard		

Analysis By: Approved By:

Date: October 17, 2024

CERTIFICATE OF QUALITY

The undersigned Aether Centre Biology Co., Ltd (a corporation with principal offices at No.158, Jingang Dadao, New District, Zhenjiang City, China) hereby certifies that: King Herbs Oral solution 100ml/bottle (Batch No:2410091) made by us are of good quality, not adulterated or misbranded.



Guarantor: Aether Centre Biology Co., Ltd

Signature

Yan yong

(Quality Manager)

Date: October 17, 2024

Ref: Invoice no. centre-rom202402

STATEMENT OF CONFORMITY

Product Name: King Herbs Oral solution 100ml/bottle

Batch: 2410091

MFG Date: October.09, 2024

EXP Date: October.08, 2026

TO WHOM IT MAY CONCERN

We, Aether Centre Biology Co., LTD hereby certify that above product has been supplied in accordance with our standard specifications and a copy of certificate of quality has been issued to this effect.

We further certify that the above products are guaranteed for a period of 2 years under normal storage conditions.

We also certify that products containing the compound of the above product are registered in China.

Aether Centre Biology Co., Ltd

