

Date: Apr. 17, 2018

Ref: Invoice nr. centre-rom201801

STATEMENT OF CONFORMITY

Product Name: Entice Herbs Disinfectant 1L/bottle

Batch: 1804061

MFG Date: Apr. 06, 2018

EXP Date: Apr. 05, 2020

TO WHOM IT MAY CONCERN

We, Aether Centre(Beijing) Biology Co., LTD hereby certify that above product has been supplied in accordance with our standard specifications and a copy of certificate of quality has been issued to this effect.

We further certify that the above products are guaranteed for a period of 2 years under normal storage conditions.

We also certify that products containing the compound of the above product are registered in China.

Aether Centre(Beijing) Biology Co., Ltd





爱迪森（北京）生物科技有限公司
Aether Centre (Beijing) Biology Co., Ltd.

AETHER CENTRE (BEIJING) BIOLOGY CO., LTD.

CERTIFICATE OF ANALYSIS



Report No.: CH-CKKFY-HCS-18008

Batch No.: 1804061

Trade Name: Entice-Herbs Oral Solution

Manufacture Date: April 06, 2018

Expiry Date: April 05, 2020

Analysis Items: All

Report Date: April 11, 2018

Packing: 1000ml/bottle

Item	Acceptance criteria	Results	Conclusion
【Description】	Should be red-brown liquid	Red-brown liquid	Conforms
【Identification】	(1) Should Be Positive Reaction	Positive	Conforms
	(2) Retention time of main peak in sample article solution should be coincidence with that in control article solution	(2) Retention time of main peak in sample article solution should be coincidence with that in control article solution	Conforms
【Detection】			
【PH】	Should be 11.0~13.0	11.7	Conforms
【Relative Density】	Should be no less than 1.02	1.03	Conforms
【Microbial limit】	Bacteria number ≤ 100 cfu/ml; mould number ≤ 100 cfu/ml; yeast number ≤ 100 cfu/ml; No e-coli is found.	With in the limit.	Conforms
【Filled Volume】	Average volume should be no less than the labeled volume, and filled volume of each container should be not less than 97% of labeled volume.	Conforms to the Regulation	Conforms
【Assay】	The content of Hesperidin should not be less than 70mg/ml	80.0mg/ml	Conforms
Conclusion	Conforms to the Standard		

Analysis By:

Approved By:

ADD: INDUSTRY PARK, BEIJING, P.R. CHINA

TEL: 0086 10 56330729 FAX: 0086 10 56330787 WEBSITE: en.centreherbs.com E-MAIL: jhs@centreherbs.com

Date: Apr.17, 2018

CERTIFICATE OF QUALITY

The undersigned Aether Centre (Beijing) Biology Co., Ltd (a corporation with principal offices at Industry Park, Shangdongkuocun, Baishan, Changping, Beijing, P. R. China) hereby certifies that: Entice Herbs Disinfectant 1L/bottle (Batch No: 1804061) made by us are of good quality, not adulterated or misbranded.

Guarantor: Aether centre(Beijing)Biology Co., Ltd



Signature

Yan yong

(Quality Manager)