CERTIFICATE OF ANALYSIS FOR FINISHED PRODUCT No. 362 / 27,04,2020						
NAME AND ADDRESS OF EXPORTING MANUFACTURER ROMVAC COMPANY S.A.	MANUFACTURING AUTH. RO 01 / - 27.11.2019	GMP CERTIFICATE Nr.: 63/2019/RO				
Romvac No. 7 Centurii Road, Voluntari, IF-077190, ROMANI/ Phone/Fax: (+4) 021 350 3109 / (+4) 021 350 3110 Email: romvac@romvac.ro	BATCH NO. 5	PRODUCT CODE 82590				
NAME OF PRODUCT / DOSAGE FORM ENROFLOXAROM 10%	DATE OF MANUFACTURE .04.2020	EXPIRY DATE .04.2022				
Injectable solution	MANUFACTURING AUTH. RO 01 / - 27.11.2019	PAGE 1 of 1				

REF./ S.O.P.#	TEST	TEST DATES		LIMITS/CRITERIA	DECLU TO	USE CODE S- SATISFACTORY
		START	END	ADMISSIBILITY	RESULTS	UNSATISFACTORY I ~ INCONCLUSIVE NT ~ NO TEST
SOP#F3.222.	Appearance	01.04.20	01.04.20	Clear solution	Clear solution	S
SOP#F3.222	Colour	01.04.20	01.04.20	Yellowish	Yellowish	S
SOP#F3.222	Odour	01.04.20	01.04.20	Odourless	Odourless	S
IS 4.1.	pH	01.04.20	01.04.20	11-13	12.60	S
IS 4.2.	Identification: Enrofloxacin	01.04.20	01.04.20	Positive	Positive	S
IS 4.3.1	Content in: Enrofloxacin	01.04.20	06.04.20	9.50 - 10.50 g/100 ml.	10.49 g/100 ml.	Ś
IS 4.1.	Control of microbiological sterility	01.04.20	16.04.20	Sterile	Sterile	S
IS 4.1.	Control of quantity per package	01.04.20	01.04.20	min, 100 ml/vial	Correspond	S

BATCH SIZE	REMARKS		
NO, OF COMMERCIAL UNITS(1)	AMOUNT PER COMMERCIAL UNIT (2)	TOTAL (1 x 2)	4.20
409 vials	100 ml	40900 ml	

I hereby certify that the above information is authentic and accurate. This batch of product has been manufactured, including packaging/labelling and quality control at the above mentioned site(s) in full compliance with the GMP requirements of the local Regulatory Authority and with the specifications in the Marketing Authorisation of the importing country. The batch processing, packaging and analysis records were reviewed and found to be in compliance with GMP.

packaging and analysis records were reviewed and found to be in compliance with GMP. DISPOSITION BY FIRM ☑ ELIGIBLE FOR RELEASE ☐ TO BE REPROCESSED OR RETESTED ☐ DESTROYED □ OTHERS (Explain) SIGNATURES QUALIFIED PERSONOCIE HEAD OF QUALITY CONTROL LABORATORY Chim. Carmen DIACONU/ Biochím. Silvia Stănculescu MEGRATOR Head of Laboratory CONTHOL Biochim. Andrei George NICA Date: 27.04.2020 Date: 27.04.2020